Audit of Annual Accounts (Max Marks 10)

Condition	PG Year	Reference Data	Yes /No	Marks Obtained	
Published audited accounts on ULB website	2017-18	Audited Accounts of 2015-16	YES	10	If published audited accounts on ULB
	2018-19	Audited Accounts of 2016-17	NO	-	website, Marks = 10; Otherwise
	2019-20	Audited Accounts of 2017-18	NO		marks = 0

(A): Covering Establishment costs and O&M from own income (Maximum Marks 20)

Condition	PG Year	Reference Data	Own Revenue (i)	Revenue Expenditure (ii)	Achievement Range (i / ii)	Marks Obtained	If achievement
			Rs. In	Lakh	%		than 70 %, marks
ULBs able to recover costs related to revenue expenditure which is O&M	2017-18	2016-17	367.80	611.49	60.15	.15 15	20; between 60 % to 70 %, marks =
costs as well as establishment & salaries	2018-19	2017-18	0.00	0.00	0.00	0	15; between 50 to 60 %; marks 10, less than 509
excluding octroi, entry tax	2019-20	2018-19	0.00	0.00	0.00	0	marks = 0.

(B): Capital expenditure as a percentage of total expenditure (Maximum Marks 20)

For 500 AMRUT Cities

Condition	PG Year	Reference Data	Capital Expenditure (i)	Total Expenditure (ii)	Achievement Range (i / ii)	Marks Obtained	If achievement range is more
			Rs. In	Rs. In Lakh			than 40 %, marks =
Ratio of Capital Expenditure to Total Expenditure including all devolutions/schemes, etc.	2017-18	2016-17	0	0	0.00	0	20; between 30 % to 40 %, marks = 15; between 20 % to 30 %, marks = 10; less than 20%, marks = 0.
	2018-19	2017-18	0	0	0.00	0	
	2019-20	2018-19	0	0	0.00	0	

For all other Cities

Condition PG Y	PG Year	Reference Data	Capital Expenditure (i)	Total Expenditure (ii)	Achievement Range (i / ii)	Marks Obtained	If achievement
			Rs. In Lakh		%		range is more than 20 %, marks
Ratio of Capital	2017-18	2016-17	376.38	987.87	38.10	20	20; between 15 to 20 %, marks
devolutions/schemes, etc.		2017-18	0	0	0.00	0	15; between 10 % to 15 %, marks =
	2019-20	2018-19	0	0	0.00	0	10; less than 109 marks = 0.

Chairman
Baruipur Municipality

Part 3: Publishing of Service Level Benchmarks (SLBs)

A) Water supply:

1) Coverage (Maximum Marks 15)

Condition	PG Year	Reference Data	Coverage Ratio	Marks Obtained	If coverage is between 90% to
Water Coverage Ratio	2017-18	SLB Status of 2016-17	72	5	100 %, marks = 15; between 80
	2018-19	SLB Status of 2017-18	0	0	% to 90 %; marks = 10, between 70 % to 80 %; marks = 5, less than 70%, marks = 0.
	2019-20	SLB Status of 2018-19	0	0	

2) Reduction in NRW (Maximum Marks 15)

Condition	PG Year	Reference Data	NRW Status	Marks Obtained	If NRW is less than 20%,
ULB achieving benchmark of Non-Revenue Water	2017-18	SLB Status of 2016-17	100	0	Marks = 15; between 20 %
	2018-19	SLB Status of 2017-18	0		to 30 %, marks : 10; between 30 % to 40 %, marks = 5; above 40 %, Marks = 0.
	2019-20	SLB Status of 2018-19	0		

3) Coverage of Water Supply for Public/Community Toilets (Maximum Marks 10)

Condition	PG Year	Reference Data	Percentage of 24X7 Water Supply to all PT/CT	Marks Obtained	If 24X7 water
ULB providing water connection to Public and Community Toilets	2017-18	SLB Status of 2016-17	YES	10	supply to all PT and CT, marks =
	2018-19	SLB Status of 2017-18	NO	0	10; otherwise marks = 0
	2019-20	SLB Status of 2018-19	NO	0	

B) Solid Waste Management:

Coverage (Maximum Marks 10)

Condition	PG Year	Reference Data	% of waste being processed scientifically	Marks Obtained	If percentage of waste being
% of waste being processed scientifically	2017-18	SLB Status of 2016-17	0	0	processed scientifically is more than 50 %, marks = 10; between 20% to 50%, marks = 5; less than 20%, marks = 0.
	2018-19	SLB Status of 2017-18	0	0	
	2019-20	SLB Status of 2018-19	0	0	